



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/506,862	05/09/2005	Konrad Kuerzinger	21590 US-PD/D	4697
7590 12/03/2009 ROCHE DIAGNOSTICS OPERATIONS INC. 9115 Hague Road Indianapolis, IN 46250-0457			EXAMINER LANGEL, WAYNE A	
			ART UNIT 1793	PAPER NUMBER
			NOTIFICATION DATE 12/03/2009	DELIVERY MODE ELECTRONIC

NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

9-2-04 & 1-7-09

The drawings filed 9-2-04 & 1-7-09 have been received. However, an inconsistency exists between the drawings and the Brief Description of the Drawings in the specification.

Figures 8a, 8b are listed in the Brief Description of the Drawings in the specification but not contained in the Drawings.

Figures 8 are contained in the Drawings but not listed in the Brief Description of the Drawings in the specification.

Applicant is required to correct the above-noted inconsistency within a time period of **ONE MONTH or THIRTY (30) DAYS, whichever is longer**, from the mailing date of this Notice, or within the time remaining in the time period set forth in the Notice of Allowability (Form PTOL-37) to file corrected drawings, whichever is longer. **NO EXTENSION OF THIS TIME PERIOD MAY BE GRANTED UNDER EITHER 37 CFR 1.136 (a) OR (b).**

Failure to correct the above noted inconsistency will result in abandonment of the application.

The file will be held in the Publishing Division to await the correction of the inconsistency.

Return Corrected Drawings/Specification to:

Mail Stop Issue Fee
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

571-272-4200 or 1-888-786-0101
Application Assistance Unit
Office of Data Management